

## INTERNATIONAL OUTCOME INVENTORY FOR HEARING AIDS (IOI-HA)

1. Think about how much you used your present hearing aid(s) over the past two weeks. On an average day, how many hours did you use the hearing aid(s)?

none	less than 1 hour a day	1 to 4 hours a day	4 to 8 hours a day	more than 8 hours a day
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. Think about the situation where you most wanted to hear better, before you got your present hearing aid(s). Over the past two weeks, how much has the hearing aid helped in those situations?

helped not at all	helped slightly	helped moderately	helped quite a lot	helped very much
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. Think again about the situation where you most wanted to hear better. When you use your present hearing aid(s), how much difficulty do you STILL have in that situation?

very much difficulty	quite a lot of difficulty	moderate difficulty	Slight difficulty	no difficulty
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. Considering everything, do you think your present hearing aid(s) is worth the trouble?

not at all worth it	Slightly worth it	Moderately worth it	quite a lot worth it	very much worth it
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. Over the past two weeks, with your present hearing aid(s), how much have your hearing difficulties affected the things you can do?

affected very much	affected quite a lot	affected moderately	affected slightly	affected not at all
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6. Over the past two weeks, with your present hearing aid(s), how much do you think other people were bothered by your hearing difficulties?

bothered very much	bothered quite a lot	bothered moderately	bothered slightly	bothered not at all
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. Considering everything, how much has your present hearing aid(s) changed your enjoyment of life?

worse	no change	slightly better	quite a lot better	Very much better
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

8. How much hearing difficulty do you have when you are **not** wearing a hearing aid?

severe	moderately- severe	moderate	mild	none
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Norms for the IOI-HA  
Cox, Alexander, & Beyer, 2002

Item	Individual clients		Groups of clients	
	<i>Mild-moderate lower/upper</i>	<i>Mod-severe+ lower/upper</i>	<i>Mild-moderate mean/SD</i>	<i>Mod-severe+ mean/SD</i>
1. use	3/5	4/5	3.73/1.17	4.5/.96
2. benefit	3/4	3/4	3.39/.98	3.52/1.08
3. RAL	3/4	2/4	3.4/.95	3.19/1.05
4. satisfac.	2/4	3/5	3.2/1.21	3.84/1.17
5. RPR	3/4	3/4	3.57/1.13	3.38/1.11
6. imp-oth	3/5	2/4	3.79/1.13	3.38/1.1
7. QofLife	3/4	3/4	3.19/.93	3.68/1.02

The category of norms used should depend on the patient's answer to the 8<sup>th</sup> item of the questionnaire. If they choose "none", "mild" or "moderate", use the "mild/moderate" norms. For the other 2 options, use the "mod/severe" norms.

The norms for individual clients are the middle 50% of the data. Hearing aids were: Single-channel, single-memory, ITE; All bilateral fittings; All compression (any type); standard fitting protocol; Purchased between Aug/00 & Jan/01.

# IOI-HA norm template for individual scores.

Cox, Alexander, & Beyer, 2002

